	Application No.	Applicant(s)
Notice of Allowability	10/828,671	OKAYASU, TOSHIYUKI
	Examiner	Art Unit
	Hai L. Nguyen	2816
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the amendment filed on 02/03/2005.		
2. The allowed claim(s) is/are <u>1-13</u> .		
3. 🔀 The drawings filed on <u>03 February 2005</u> are accepted by the Examiner.		
 4.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		Patent Application (PTO-152)
_	6. ☐ Interview Summary Paper No./Mail Da	te
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 03 February 2005		
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. Other	MOTHYP: CALLAHAN
	SUPER	/ISORY PATENT EXAMINER
LLS Patent and Trademark Office		5.50

Application/Control Number: 10/828,671

Art Unit: 2816

DETAILED ACTION

Response to Amendment

1. The amendment received on 02/03/2005 has been reviewed and considered with the following results:

As to the objection to the drawings, Applicant's revision of the drawings has overcome the objection, as such; the objection has been withdrawn.

As to the objections to the specification, Applicant's amendments of the specification have overcome the objections, as such; the objections to the specification have been withdrawn.

As to the rejection to the claims, under 35 U.S.C. 112, 1st paragraph, Applicant's amendment and clarification have overcome the rejections, as such; the rejections have been withdrawn.

As to the prior art rejections to the claims, Applicant's amendment and argument have overcome the prior art rejections, as such; the prior art rejections have been withdrawn. The case is found to be in allowance condition.

REASON FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to disclose or fairly suggest a timing generator (200 in instant Fig. 3), and a method for generating a timing signal by delaying a reference signal as much as a predetermined time, as recited in claims 1 and 9, having specific structural limitations such as a modulating unit (30, which is also shown in detailed as Fig. 5) for modulating the frequency of

Page 3

the reference signal generated by the reference signal generating unit (10), wherein the modulating unit modulates the period of the reference signal (T4 in instant Fig. 4A) and the period of the noise (Fig. 4B) caused by the reference signal, it changes the timing at which the noise affects the oscillating signal, thus it is possible to prevent the period of the oscillating signal from being absorbed to the period of the reference signal (see specification paragraph 41); and being configured in combination with the rest of the limitations of the base claims and any intervening claims.

Claim 8 is similar allowed; note the above reasons for allowance.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai L. Nguyen whose telephone number is 571-272-1747 and Right Fax number is 571-273-1747. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The official fax phone number for the organization where this application or proceeding is 703-872-9306.

Application/Control Number: 10/828,671 Page 4

Art Unit: 2816

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1562.

5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HLN ///
March 28, 2005